

TDS/IIS/LEATHER/001 Rev. No 1/Issue date - 07.07.2025









Textile Coating Leather

Plastic

INDOFIL IB 125 Product Description

Specialty Acrylic Dispersion

Chemical Characteristics.

Technical Data Sheet

Composition Proprietary formulation of special copolymers

Appearance Milky White liquid

Active Content 35.0±2.0% pH of 10% solution 7.0 - 9.0

Readily soluble in water. Solubility

Application

INDOFIL BINDER IB 125 is suitable for all types of full grain & corrected grain leathers' can be used for shoe upper, softies, all kind of milled leathers, garments, and split finishing.

Examples of Application:

1) For Full grain Softies & uppers:

Pigment : 100 Part

INDOFIL BINDER IB 125 : 250 Part

Indofil MPU-15 : 50 Part

Indofil C-20 : 40 Part

Indofil Binder MP :40 Part

Indofil L-219 : 25 part

Water : 495 Part

1 X Coat H/c Plating 80°C/ 150 bar

2 X Coat H/c Plating 80°C/ 150 bar

1X Coat /Top Coat / plain plate 70°c/100 bar



TDS/IIS/LEATHER/001 Rev. No 1/Issue date - 07.07.2025







Textile Coating Leather

Plastic

Technical Data Sheet

INDOFIL IB 125

For corrected grain softies & upper:

Pigment : 120 Part

INDOFIL BINDER IB 125 : 150 Part

Indofil M-820N : 100 Part

: 50 Part Indofil SPU-125

Indofil C-20 : 50 Part

Indofil Binder MP :50 Part

Indofil L-219 : 30 part

: 450 Part Water

Properties

INDOFIL BINDER IB 125 imparts clear, soft, tough film with low tack.

INDOFIL BINDER IB 125 is Specialty acrylic binder designed to maintain very soft, natural handle &feel with good covering. It can withstand high pressure and high temperature with excellent sealing & embossing properties.

- Good plate release
- Appreciable cut through resistance.
- Soft stretchy& good flexibility.
- Demonstrates good coverage & tight break with uniform flow properties
- Imparts natural handle & tight break with high anchorage .
- Low tack with good print retention at higher temperature
- Excellent yellowing resistance suitable for white& Pastel shades
- Compatible with all anionic fishing auxiliaries

Can be used for water resistant DIN leather



Technical Data Sheet

TDS/IIS/LEATHER/001 Rev. No 1/Issue date - 07.07.2025

INDOFIL IB 125

Storage

12 months if properly stored in cool & dry place in shed in sealed drums

Packaging

Available in 100/120 and 245 Kgs Drums.